

Safety Data Sheet

1. Product Identifier and Company Identification

Product name HBCC SDS number Synonym Product use and Restrictions	 Sodium Hypochlorite CC17000 Liquid Bleach Refer to label or call 	
Manufacturer Contact Address	: Corporate Headquarters Hill Brothers Chemical Company 1675 North Main Street Orange, California 92867 714-998-8800	Corporate Safety & Compliance Hill Brothers Chemical Company 7121 West Bell Road, Suite 250 Glendale, Arizona 85308 623-535-9955 – Office
Emergency telephone Number (Chemtrec) Website	800-821-7234 : 800-424-9300 : http://hillbrothers.com	623-535-9944 - Fax

2. Hazard Identification

Classification	 Skin Corrosion/Irritation – Category 1A Serious Eye Damage/Eye Irritation – Category 1 Aquatic Toxicity (ACUTE) – Category 1 Aquatic Toxicity (CHRONIC) – Category 3 Corrosive to Metals – Category 1
Signal Word	: Danger
Pictogram(s)	
Hazard Statements	 H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H400 Very toxic to aquatic life. H412 Harmful to aquatic life with long lasting effects.
Precautionary Statements	
Response	 P304+P340+P310 IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor. P301+P310+P330+P331 IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth. Do NOT induce vomiting. P202+P261+P252+P262+P210_IE_ON_SKIN (or bair): Take off immediately.

P302+P361+P353+P363+P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash

	contaminated clothing before reuse. Immediately call a POISON CENTER or doctor. P305+P351+P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
Prevention	 P280 Wear chemical resistant gloves, protective clothing, goggles and/or face shield. P273 Avoid release to the environment. P264 Wash thoroughly after handling. P391 Collect spillage.
Storage	 P405 Store locked up. P406 Store in a corrosive resistant container with a resistant inner liner.
Disposal	 P501 Dispose of contents and container in accordance with all local, regional, national and international regulations.

3. Composition/Information on Ingredients

CAS Number	Ingredient Name	Weight %
7681-52-9	Sodium Hypochlorite	5.25% - 12.5%
1310-73-2	Sodium Hydroxide	0.1% - 1%

Synonyms/ Common Names

: Liquid Bleach

4. First Aid Measures

Summary of First Aid Measures			
Ingestion	gelatin solu quantities Do not indu	e any liquid to an unconscious person. Du ution if able to swallow. If these are not a of water. DO NOT give vinegar, baking so uce vomiting unless directed by a Poison octor. GET MEDICAL ATTENTION IMMEDI	available, drink large oda or acidic antidotes. Control Center or
Inhalation	breathing. qualified pe ambulance Pulmonary	effects occur, remove to fresh air. Give a If breathing is difficult, oxygen should be ersonnel. If respiration or pulse has stopp e, have a trained person administer Basic Resuscitation (CPR) / Automatic Externa CAL ATTENTION IMMEDIATELY.	e administered by ped, call 911 or an Life Support, Cardio-
Skin	minutes. R Wash conta	ely flush contaminated areas with plenty of Remove contaminated clothing, jewelry, a aminated areas with soap and water. The ted clothing and shoes before reuse. GET ELY.	nd shoes immediately. broughly clean and dry
Eyes		pen and rinse slowly and gently with wat CAL ATTENTION IMMEDIATELY. Remove of	
Product Identifier: Sodium Hyr	oochlorite	Last Revision Date: 02/25/2015	Page 2 of 9

	present, after the first 5 minutes, then continue rinsing. Contact lenses should not be worn when working with this chemical.
Medical Conditions	: N/A
Effects of Overexposure	: N/A
Summary of Acute Health H	azards
Ingestion	: May cause irritation of the membranes of the mouth and throat, stomach pain, and possible ulceration.
Inhalation	: May cause burns, cough, pulmonary edema, up to 48 hours after exposure. Avoid breathing vapors.
Skin	: May cause severe skin irritation and reddening of the skin. Prolonged exposure may cause burns, blistering.
Eyes	: May cause severe irritation such as burns, and eye damage.
Note to Physicians	: The absence of visible signs of burns does NOT reliably exclude the presence of actual tissue damage.

Summary of Chronic Health : Irritating effects increase with strength of solution and time of exposure.

5. Fire Fighting Measures		
Extinguishing	: Use extinguishing agents appropriate for surrounding fire.	
Special Exposure Hazards	 Heat and acid contamination will produce irritating and toxic fumes. May decompose, generating irritating chlorine gas. Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by -products. Stay upwind and keep out of low areas. 	
Special Protective Equipment for Firefighters	: Wear NIOSH approved positive-pressure self-contained breathing apparatus.	
Fire Fighting Procedures	: N/A	
NFPA Rating	: Health - 2 Flammability - 0 Instability - 1	
	201	

٦

0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme

Uniform Fire	
Code Rating	

: N/A

6. Accidental Release Measures

Personal Precautions	: Avoid contact with the eyes. Avoid prolonged or repeated contact with the skin.
Emergency Procedures	: Ventilate the area of the spill or leak. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.
Methods of Containment And Clean-Up	: Spills may need to be reported to the National Response Center (800/424 -8802) DOT Reportable Quantity (RQ) is 100 pounds. For large spills, evacuate the hazard area of unprotected personnel. Wear appropriate protective clothing. Dike and contain. Neutralize with sodium sulfite, bisulfite or thiosulfite. Remove with vacuum trucks or pump to storage vessels. Soak up residue with an absorbent such as clay, sand or other suitable material; place in non-leaking containers for proper disposal. Flush area with water to remove trace residue; dispose of flush solutions as above. For small spills, take up with an absorbent material and place in non-leaking containers; seal tightly for proper disposal. This material is alkaline and may raise the pH of surface waters with low buffering capacity.

7. Handling and Storage

Safe Handling	: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc. or with ammonia, acids, detergents, hydrocarbons, alcohols, ethers or other chemicals will release hazardous gases irritating to the eyes, lungs and mucous membranes.
Storage	: Store in vented, closed, clean non-corrosive containers in a cool, dry location away from direct sunlight and heat to avoid deterioration. Do not store adjacent to chemicals which may react with the bleach if spillage occurs. If closed containers become heated, the containers should be ented to release decomposition products (mainly oxygen under normal decomposition).
Work/Hygienic Practices	: Wash hands thoroughly with soap and water before eating, drinking, smoking or using toilet facilities. Do NOT place food, coffee or other drinks in the area where dusting or splashing of solutions is possible.
Ventilation	 No special ventilation is required unless bleach is exposed to decomposition conditions, i.e. heat or acidic conditions.

8. Exposure Controls/Personal Protection

Occupational Exposure Limits	:				
Linits	Chemical Name: Sodium Hypochlorite Exposure Limits (TWAs) in Air			ite	
		CAS Number	ACGIH TLV	OSHA PEL	STEL
	Sodium Hypochlorite	7681-52-9	N/A	N/A	$2mg/m^3$
	Sodium Hydroxide	1310-73-2	2mg/m ³	2mg/m ³	2mg/m ³
Protective Equipment	: Wear chemical-resistant gloves and other clothing as required to minimize contact. Safety showers and eyewash fountains should be available in storage and handling areas.				
Eye Protection	: Wear chemical goggles and/or face shield if there is the likelihood of contact with the eyes.				
Respiratory Protection	 Not required under no contained breathing a (dust, fume, mist) filte where airborne concer when symptoms have When decomposition p A half-piece air-purify 10X the acceptable ex respirator may be use level. 	pparatus. A NIC ers may be perr ntrations are ex been observed products exist, a ing respirator m posure level an	OSH approved re missible under ce pected to exceed that are indicati acid gas cartridg may be used in co d a full facepiece	espirator with ertain circums d exposure lir ive of overexp les are also re oncentrations e air-purifying	N95 stances nits, or oosure. equired. up to
	Supplied air should be used when the level is expected to above 50X the acceptable level, or when there is a potential for uncontrolled release. A respiratory program that meets 29 CFR 1910.134 must be followed				

9. Physical and Chemical Properties

Appearance: Light green to light yellow	Odor: Pungent chlorine odor		
Odor Threshold: 0.9 mg/m ³	рН: 11.9 - 13		
Melting Point/Freezing Point: -5 to -25°C	Initial Boiling Point/Range: 40-76°C (104-169°F) (Decomposes)		
Flash Point: Nonflammable	Evaporation Rate (BuAc=1): N/A		
Flammability: N/A	Lower/Upper Explosive Limit: N/A		
Vapor Pressure (mmHg): 12-17 @ 20°C	Vapor Density (Air=1): 2.61		
Relative Density: N/A	Solubility in Water: 100%		
Partition Coefficient: N/A	Autoignition Temperature: N/A		
Decomposition Temperature: N/A	Viscosity: N/A		
% Volatiles: Variable-Water plus products of Decomposition	Specific Gravity (Water=1): 1.07-1.26 @ 20°C		
Molecular Weight: 75.45	VOC: N/A		

whenever workplace conditions warrant use of a respirator.

10. Stability and Reactivity

Reactivity	 The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical Stability	: Material is stable under normal conditions.
Possibility of Hazardous Reactions or Polymerizations	: Hazardous polymerization will not occur
Conditions to Avoid	: Stability decreases with concentration, heat, light exposure, decrease in pH and contamination with heavy metals, such as nickel, cobalt, copper and iron.
Incompatible Materials	: Strong acids, oxidizable materials, heavy metals (which act as catalysts), reducing agents, ammonia solutions, ether, and many organic and inorganic chemicals such as paint, kerosene, paint thinners, shellac, grease and oils.
Hazardous Decomposition Products	: Chlorine. Additional decomposition products which depend upon pH, temperature and time are sodium chloride, sodium chlorate and oxygen.

cal Information

Acute and Chronic Effects	: See Section 4
Routes of Exposure Inhalation Ingestion Skin Eyes	: Yes : Yes : Yes
Symptoms related to Physical, Chemical & Toxicological Characteristics	: Irritating effects increase with strength of solution and time of exposure.
Numerical Measures of Toxicity	: By ingestion, Grade 1: oral rat $LD_{50} = 8.91$ g/kg IDLH Value: Data not available
Chronic Toxicity	: N/A
Carcinogenicity	: This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
TARGET ORGANS	: May cause respiratory irritation.

12. Ecological Information

Ecotoxicity

: This pesticide is toxic to fish and aquatic organisms.

Persistence and Degradability	: N/A				
Bioaccumulative Potential	:	Product/Ingredient N/A	Log _{Pow} N/A	BCF N/A	Potential N/A
Mobility in Soil	: N	//A			

13. Disposal Considerations

Disposal of Container
 Do not discharge effluent containing this product into lakes, streams, estuaries, oceans, or public waters unless in accordance with the requirements of the National Pollutant Discharge Elimination System (NPDES) permit and the Permitting Authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.
 Do not contaminate food or feed by storage, disposal or cleaning of equipment. Product or rinsates that cannot be used should be diluted with water before disposal in a sanitary sewer. Can be neutralized with weak reducing agents such as sodium sulfite, bisulfite, or thiosulfite (DO NOT USE SULFATES OR BISULFATES). Dispose of in accordance with all applicable local, county, state and federal regulations.

14. Transport Information

Proper Shipping Name: Hypochlorite SolutionsHazard Class/Division: 8Packing Group: IIIMarine Pollutant: YesSpecial Precautions: N/AEmergency Response: 2012 ERG, Guide 154, pages 246-24Guidebook	Hazard Class/Division Packing Group Marine Pollutant Special Precautions Emergency Response	: 8 : III : Yes
---	---	-----------------------

Placard Advisory



15. Regulatory Information

FIFRA LABEL INFORMATION:

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and the hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. The following is hazard information as required on the pesticide label:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Harmful or fatal if swallowed. Applicators and other handlers Must wear: coveralls work over long-sleeved shirt and long pants; Waterproof footwear and gloves; and goggles or face shield. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated. Wash hand thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, estuaries, oceans, or public waters unless in accordance with the requirements of the National Pollutant Discharge Elimination Systems (NPDES) permit and the Permitting Authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: May be corrosive to metals. Mix only with water according to directions for use. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents, or other chemicals will release hazardous gasses irritating to the eyes, lungs, and mucous membranes.

Section 302 Extremely Hazardous Substance (EHS)	: N/A	Clean Air Act (CAA)	: N/A
Section 304 Extremely Hazardous Substance (EHS)	: N/A	California Prop 65	: N/A
CERCLA Hazardous Substance	: N/A	Label Warning	: N/A
Section 313 Supplier Notification	: N/A	EPA Registration(s)	: 266-40; 266-20001; 266-20002; 266-20007
Reportable Quantity	: 100 Pounds (45.4	Kilograms)	



Maximum use level for Sodium I	- Hypochlorite under	NSF/ANSI Standard 60
5.25% Liquid Bleach	Maximum Use	200 mg/L
10% Liquid Bleach	Maximum Use	105 mg/L
12.5% Liquid Bleach	Maximum Use	84 mg/L

16. Other Information

Revision date Supersedes First Issue	: 02/25/2015 : 05/29/2012 : 06/17/1987
Chemical Family/Type	: Halogen Compound
Section(s) changed since last revision	: MSDS to First Issue SDS Conversion

Hazardous Ingredients : Sodium hypochlorite is manufactured only in solution form. Industrial grade sodium hypochlorite contains from 5.25 - 15% by weight NaOCL (5 – 14.3% available chlorine) with about 0.1-1.00% excess NaOH for stability control.

IMPORTANT! Read this SDS before use or disposal of this product. Pass along the information to employees and any other persons who could be exposed to the product to be sure that they are aware of the information before use or other exposure. This SDS has been prepared in accordance with the Globally Harmonized System of Chemical and Labeling of Chemicals (GHS) Fifth Edition and the OSHA Hazard Communication Standard [29 CFR 1910.1200]. The SDS information is based on sources believed to be reliable. Available data, safety standards, and government regulations are subject to change and the conditions of handling and use, or misuse are beyond our control; **Hill Brothers Chemical Company** makes no warranty, either expressed or implied, with respect to the completeness or continuing accuracy of the information contained herein and disclaims all liability for reliance thereon. Additional information may be necessary or helpful for specific conditions and circumstances of use. It is the user's responsibility to determine the suitability of this product and to evaluate risks and exercise appropriate precautions for protection of employees and others prior to use.